




A **WORLD OF PRODUCTS**
AND **SOLUTIONS.**



Three in one trolley

0349 313 450



For contact information visit esab.com

ESAB AB, Lindholmsallén 9, Box 8004, 402 77 Gothenburg, Sweden, Phone +46 (0) 31 50 90 00


manuals.esab.com



Assembly instruction

0463 357 102 GB 20241008


1



8.5 Nm /
75.2 in. lb


13 mm/
1/2"

22x




Spare part kits:

101






102



103






2




10 Nm $\pm$ 0.1 Nm /
88.5 lb-in $\pm$ 8.8 lb-in

3

10 Nm $\pm$ 0.1 Nm /
88.5 lb-in $\pm$ 8.8 lb-in



4




Item	Qty	Ordering no.	Denominaion	Notes
1	1		Shelf cpl.	
2	1		Frame right	
3	1		Frame left	
4	1		Bottom	
5	1		Wheel bracket	Refer 101
6	2	0349313458	Cable holder	
7	1	0349313456	Bracket	
8	1	0349313173	Gas bottle bracket	
9	1		Pin	Refer 103
10	2		Castor wheel- OrigMig405	Refer 101
11	2		Wheel- OrigMig405	D250 (Refer 102)
12	2		Locking washer-LKA 180	Refer 102
13	1		INSULATING BUSHING	Refer 103
14	1		DISTANCE WASHER	28.5 / 45
15	2	0349313461	Bracket for Mig 4004	
16	2	0349313459	Bracket for Warrior	
17	1		Chain	L=800mm
18	1		Warning label	
19	10		SCREW M8x16 DIN603	DIN 603 (Refer 101)
20	8		SCREW M8x20 DIN603	DIN 603 (Refer 101)
21	22		NUT M6MF 8 BH8	DIN 6923 (Refer 101)
22	6		HEXAGON BOLT WITH COLLAR	S6PZ M8X20 B 040-475A
23	8		Screw MRT M6x16 black	ISO 14583
24	4		Screw MRT M5x35 black	ISO 14583
25	1		SCREW M6S- M16X30	DIN 933 (Refer 103)
26	1		PLAIN WASHER 16-200 HV-A2K	DIN 125 (Refer 103)
27	1		SPRING WASHER	Refer 103

Spare part kits:


Item	Qty	Ordering no.	Denomination	Notes
101	1	0447692880	Front wheel kit	Includes Pos 5, 10, 19, 20, 21
102	1	0447693880	Rear wheel kit	Includes Pos 11, 12
103	1	0447694880	Feeder mounting kit	Includes Pos 9, 13, 14, 25, 26, 27

Accessories:




Item	Qty	Ordering no.	Denomination	Notes
28	1	0446882880	Cable kit	Pos 28
29	1	0447680880	Torch holder cpl.	Pos 29





5




6






Max 230 kg/507 lbs







7A1


Aristo 500ix
Aristo 500ix + Cool2
Warrior 400/500i
Warrior 400/500i + Cool2
Warrior Edge 500





7A2



10






7A3









6 Nm $\pm$ 0.1 Nm /
53.1 lb-in $\pm$ 5.3 lb-in


7A4





6 Nm $\pm$ 0.1 Nm /
53.1 lb-in $\pm$ 5.3 lb-in



8 Nm $\pm$ 0.8 Nm /
70.8 lb-in $\pm$ 2.6 lb-in




8 Nm $\pm$ 0.8 Nm /
70.8 lb-in $\pm$ 2.6 lb-in




8 Nm $\pm$ 0.8 Nm /
70.8 lb-in $\pm$ 2.6 lb-in

9A2




7B1


Aristo 4004i
Aristo 4004i + Cool1




8



10 Nm $\pm$ 0.1 Nm /
88.5 lb-in $\pm$ 8.8 lb-in




ROBUST FEED



40 Nm $\pm$ 4 Nm /
354 lb-in $\pm$ 35.4 lb-in

FEED 304/3004






40 Nm $\pm$ 4 Nm /
354 lb-in $\pm$ 35.4 lb-in





x4
M8

9A1



TX-25



TX-25

8 Nm $\pm$ 0.3 Nm /
70.8 lb-in $\pm$ 2.6 lb-in

x1
M5x12